

# The Compounding Lab

## CJC1295/Ipamorelin

### STORAGE

Our compounded CJC 1295/Ipamorelin requires storage conditions between 2-8 degrees Celsius (refrigerated).

### WHAT IS IT USED FOR

CJC1295 and Ipamorelin are both peptides that are usually used in conjunction. It stimulates the pituitary gland to release more Growth Hormone. In adults, this medication is used to aid the reduction in body fat, increase muscle mass and aid in cell regeneration.

This compounded medication is used when the body does not naturally produce enough of the growth hormone.

### WHEN NOT TO USE

Do not use this compounded medication if you are allergic to any of the ingredients in the product including benzyl alcohol.

Do not use this medication past the BUD date written on the vial.

Do not use this medication if you have a tumor.

### HOW TO USE

CJC1295/Ipamorelin should be injected under the skin (subcutaneous)

Ensure you use a different injection site each day

### SIDE EFFECTS

- pain, redness or swelling at the injection site
- headache
- weakness
- localised muscle pain
- drowsiness
- dizziness
- nausea or vomiting
- flushing
- hyperactivity

If you experience any of the below side effects tell your doctor immediately or go to your nearest Emergency department

- allergic reactions (rash, swelling of the face, lips, mouth throat, wheezing, difficulty breathing)
- tiredness, fever, dizziness, looking pale and bone and joint pain

**This is not a comprehensive list of side effects. If you develop any symptoms you are concerned about, please contact your doctor immediately.**